

5 – File I/O, Plotting with Matplotlib

Bálint Aradi

Course: Scientific Programming / Wissenschaftliches Programmieren (Python)



Installing some SciPy stack components

We will need several Scipy components for the exercises:

```
sudo apt-get install python3-scipy python3-matplotlib
```

File I/O workflow

- Open file
- Do read/write operations
- Close file

```
fp = open("test.txt", "r")  
txt = fp.read()  
fp.close()
```

- The closing of a file is optional (although recommended)
- Using context manager blocks (with ... as ...) closing the file can be automatic
- File would be closed as soon as the block is left

```
with open("test.txt", "r") as fp:  
    txt = fp.read()  
print("The file has been already closed")
```

Opening a file

- A file is opened by the **open()** function

```
open(filename, mode)
```

- It returns a file handler which can be used to manipulate the file content
- The file handler is valid until the file is closed with the `close()` statement
- Mode flag determines what can be done with the file and how the file content is handled (as text or binary data)

"r" Open for **reading** (default)

"w" Open for **writing** (**truncating** content if already present)

"a" Open for **writing** (**appending** to existing content)

"b" **Binary** mode

"t" **Text** mode (default)

"+" Open file for **updating** (reading and writing)

Reading from text file

- **Iterating** over file handler returns the lines in the file as strings (including the newline character at the line ends):
- The **readlines()** method returns a list of the lines in the file:
- The **readline()** method returns the next line in the file (and empty string if all lines had been read):
- The **read()** method returns the entire file content as one string:

```
fp = open("test.txt", "r")
```

```
for line in fp:  
    print(line)
```

```
lines = fp.readlines()  
print(lines)
```

```
line = fp.readline()  
while line:  
    print(line)  
    line = fp.readline()
```

```
txt = fp.read()  
print(txt)
```

Writing to text file

- The **write()** method writes a given string into a file
- The **writelines()** method writes a list of strings into a file

```
fp = open("test.txt", "w")
```

```
fp.write("Line 1\n")
```

```
lines = ["Line1\n", "Line2\n"]  
fp.writelines(lines)
```

equiv.

```
lines = ["Line1\n", "Line2\n"]  
for line in lines:  
    fp.write(line)
```

equiv.

```
lines = ["Line1", "Line2"]  
fp.write("\n".join(lines))
```

Reading / writing numerical data

- Numpy/Scipy have special routines to read/write data arrays in text form (and also in other formats)

numpy.loadtxt() Reads data from a file into an array

numpy.savetxt() Writes array data into a file

```
test.dat: # Some comment
          1  2
          3  4
```

```
data = np.loadtxt("test.dat")
data
```

```
array([[ 1.,  2.],
       [ 3.,  4.]])
```

```
data2 = np.array([1, 2, 3])
np.savetxt("test2.dat", data2)
```

```
→ test2.dat: 1.000000000000000000000000e+00
              2.000000000000000000000000e+00
              3.000000000000000000000000e+00
```

os.path module

- Module with very helpful functions for file name and path manipulations
- **os.path.join()**: Joining path names:

```
import os.path

directory = "schroedinger/harmonic"
fname = "energies.dat"
fname_full = os.path.join(directory, fname)
fname_full
'schroedinger/harmonic/energies.dat'
```

Matplotlib interfaces

- Fully object oriented interface
- Matlab-like simplified interface (**pyplot**)

Matplotlib render engines

- Embedding plots into the IPython/Jupyter notebook

```
%matplotlib inline
```

- Showing plots in separate windows (when using from script or from IPython-console)
- Creating graphical files (pdf, jpg, etc.)

Self-containing plotting example

```
%matplotlib inline
import numpy as np
import matplotlib.pyplot as plt

xx = np.linspace(0.0, 4.0 * np.pi, 200, endpoint=True)


y1 = np.cos(xx)
y2 = np.sin(xx)

plt.plot(xx, y1, color='red', linewidth=1.0,
         linestyle="--", label='cos(x)')
plt.plot(xx, y2, color='blue', linewidth=1.0,
         linestyle="-", label='sin(x)')

plt.legend()

plt.show()
```

Self-containing plotting example



Plotting with pyplot

```
%matplotlib inline
```

Embed figures into Jupyter-notebook
(Leave this out if you do not work in a Jupyter notebook)

```
import numpy as np  
import matplotlib.pyplot as plt
```

Use simplified (pyplot) interface

```
xx = np.linspace(0.0, 4.0 * np.pi, 200, endpoint=True)
```

Generate x-coordinates of the points to plot

200 points evenly distributed in the interval $[0.0$ to $4 * \pi]$,

Including the upper bound

Plotting with pyplot

```
y1 = np.cos(xx)
y2 = np.sin(xx)
```

Generate the y-coordinates of the points to plot (two curves)

```
plt.plot(xx, y1, color='red', linewidth=1.0,
         linestyle="--", label='cos(x)')
plt.plot(xx, y2, color='blue', linewidth=1.0,
         linestyle="-", label='sin(x)')
```

Plot the points xx , $y1$ and xx , $y2$ (and connect them)

Set line color to red/blue

Set line width to 1.0 pixel

Set line style to dashed/solid

Set curve label to $\cos(x)$ / $\sin(x)$

Plotting with pyplot

```
plt.legend()
```

Plot legend box

```
plt.show()
```

Render figure on screen

Alternative rendering into file:

```
plt.savefig('curves.pdf', format='pdf')
```


Render figure into file

Axis object

Axis objects enables access to several fine-tuning settings

```
ax = plt.gca()
ax.xaxis.set_ticks_position('top')
ax.yaxis.set_ticks_position('right')
ax.spines['top'].set_position(('data', 0))
ax.spines['bottom'].set_color('none')
ax.spines['left'].set_color('none')
```

Get current axis



Subplots

Plotting of **multiple plots on a grid** within one figure:

```
plt.subplot(2, 1, 1)  
plt.plot(xx, y1, color='red', linewidth=1.0,  
         linestyle="--", label='cos(x)')  
plt.legend(loc='upper right')  
  
plt.subplot(2, 1, 2)  
plt.plot(xx, y2, color='blue', linewidth=1.0,  
         linestyle="-", label='sin(x)')  
plt.legend(loc='upper right')  
plt.show()
```


```
plt.subplot(nrow, ncol, iplot)
```

<i>nrow</i>	Number of grid rows
<i>ncol</i>	Number of grid columns
<i>iplot</i>	Current plot nr. (left to right, top to bottom)

Rendering TeX within plots

Matplotlib can render TeX sequences within the plots

```
plt.xticks(  
    [0.0, np.pi / 2, np.pi,  
     3 * np.pi / 2],  
    [r'$0.0$',  
     r'$\frac{\pi}{2}$',  
     r'$\pi$',  
     r'$\frac{3\pi}{2}$'],  
    fontsize=16)
```



- TeX-sequences should be **delimited by \$**
- It is advisable to put TeX-sequences into **raw-strings (r'something')**
- In raw-strings, **backslashes are interpreted literally** and not as special Python commands (e.g. `\n` as “\” “n” and not as newline)
- Useful when passing backslash commands to various engines (TeX-sequences in Matplotlib, regular expressions, ...)

Further useful Matplotlib functions

<code>plt.xlim(), plt.ylim()</code>	Setting/Querying x/y limits
<code>plt.xticks(), plt.yticks()</code>	Setting customized ticks (and tick labels)
<code>plt.annotate()</code>	Write text into the plot
<code>plt.plot()</code>	Curve plot
<code>plt.scatter()</code>	Scatter plot
<code>plt.bar()</code>	Bar plot
<code>plt.contour()</code>	Contour plot
<code>plt.imshow()</code>	Bitmap image
<code>plt.pie()</code>	Pie charts
<code>plt.quiver()</code>	Quiver plots
:	

See for example [Matplotlib: plotting](#) in [Scipy-lectures](#)